



THIS BINDER CONTAINS DATA ON THE FOLLOWING PRODUCTS AVAILABLE THROUGH

KINGMAN INDUSTRIES

STRIP CURTAINS

PVC ROLL STOCK

AIR CURTAINS

ECONO COVERS

BUG BARRIER

NO-ZAP FLYTRAP

RACK COVERS

VINYL DAIRY CURTAINS

CLEAR-VU & IMPACT SWINGING DOORS

GLIDE WALL TRACK & ROLLER PARTITION SYSTEMS

PRO-TUFF & RUFF-TUFF SWINGING DOORS

STAINLESS STEEL SWINGING DOORS

NOTE: THE INFORMATION CONTAINED HEREIN IS VERY GENERAL. FOR SPECIFIC APPLICATIONS, WE ASK THAT YOU CONTACT US AT

604.275.8994 or TOLL FREE at 1.888.267.8994

E-MAIL ADDRESS: sales@kingman-industries.com

WEB SITE: www.kingman-industries.com




Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



ENVIRONMENTAL STRIP CURTAINS

TAKE A WALK THROUGH OUR ENVIRONMENTAL CONTROL APPLICATIONS



- | | |
|-------------------------------------|---|
| 1. Craneway enclosures | 9. Loading dock/receiving doors |
| 2. Exterior openings | 10. Welding curtains |
| 3. Refrigerated areas | 11. Noise-or dust reducing machine enclosures |
| 4. Machine enclosures | 12. Partitions |
| 5. Temperature control between room | 13. Storage area enclosures |
| 6. Personnel doors | 14. Bin enclosures |
| 7. Sanding area curtains | 15. Outside entries |
| 8. Conveyor belt openings | 16. Reefer doors and many other applications |

**USE OUR “IN STOCK” CURTAINS OR CALL US
TO DISCUSS YOUR SPECIFIC APPLICATIONS**



Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9


(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



BULK PVC ROLLS

Standard/48" Wide PVC

- Exterior/Interior doors
- Partitions/Manufacturing areas



PVC Strip Material and Bulk Rolls

Widths and Thicknesses:	Materials Available: Standard: 0 to +150F Low Temp: -30 to +150F Ultra - Low: -70 to +150F
6" x .060"	standard, low temp-reinforced & unreinforced
8" x .080"	standard, low temp-reinforced & unreinforced, ultra-low temp, anti-static
12" x .120"	standard, low temp-reinforced & unreinforced, ultra low temp, anti-static
16" x .160"	standard, low temp-reinforced & unreinforced
48" x .040"	standard
48" x .080"	standard
8" (double-ribbed)	standard, low temp
12" (double-ribbed)	standard, low temp
16" (double-ribbed)	standard, low temp

The following colours are available in either 8" x .08" or 12" x .12" strips:

Safety Orange,
Dark Amber

Safety Red
Green

Black
Royal Blue

Call today for a quotation or to discuss your specific application!



Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



AIR CURTAINS



For Use In:

- o Restaurants
- o Food preparation areas
- o Shopping Malls
- o Super Markets
- o Food processing plants
- o Drug Stores
- o Hospitals
- o Bakeries
- o And many more facilities



The Energy Efficient Way to Have Open Doors

Prevents entrance of:

- o Flies and other insects
- o Dust, fumes and odors
- o Cold air during winter
- o Hot air during summer
- o Ambient air into coolers
and freezers

**CALL US
TO DISCUSS YOUR SPECIFIC APPLICATION**



Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



HELP CONSERVE ENERGY WITH:

ECONO-COVER

SELF STORING NIGHT COVERS



**For use on all refrigerated
self service display cases**

- o **MEAT**
- o **DAIRY**
- o **PRODUCE**
- o **FROZEN FOOD**
- o **BEVERAGE**

Available in White and clear

TO ORDER CALL TOLL FREE

**1-888-267-8994
OR
FAX YOUR ORDER
(604) 275-8997**

E-MAIL: sales@kingman-industries.com

WEB SITE: www.kingman-industries.com



Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



Promotes fresh air & sunlight
while maintaining sanitation

Perfect for any open door!

CALL US
TO DISCUSS YOUR SPECIFIC APPLICATION

E-MAIL: sales@kingman-industries.com WEB SITE: www.kingman-industries.com



Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994

KEEP FRESH FOODS FRESHER WITH..... RACK COVERS



◆ Keeps products fresher longer

- ◆ Keeps products sanitary and clean
- ◆ Saves time, eliminates individual wrapping of products
- ◆ Stops crusting after thawing and enhances proofing
- ◆ Saves steps, transport many items easily
- ◆ Eliminates odor transfer
- ◆ Maintains moisture and texture
- ◆ Strong, money saving construction

Model 232863

**RACK COVERS ARE MADE WITH STURDY 12-MIL VINYL WITH HEAVY DUTY VISION ZIPPERS,
REINFORCED TOP AND EXTRA-STRENGTH LOCK SEAM STITCH WITH BINDING.**

ACTUAL SIZE: 23" x 28" x 63"

FOR QUESTIONS OR IMMEDIATE SERVICE

CALL TOLL FREE 1-888-267-8994



Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



WHITE VINYL DAIRY CURTAINS



MODEL # WDC 4860

(Actual Size: 48"W x 60"H)

MODEL # WDC 6060

(Actual Size: 60"W x 60"H)

White Vinyl Dairy Curtains are used to reduce the loss of cold air from the rear of Self-Display Dairy Cases thereby reducing compressor running time and hydro costs.

These curtains come in 4 or 5ft wide sections, both 60" in height, and can be fastened to an existing support rod using hooks and/or other devices. Each section is provided with brass grommets on 6" centers for mounting purposes.

CUSTOM SIZES ARE AVAILABLE UPON REQUEST

E-Mail Address: sales@kingman-industries.com

VISIT OUR WEBSITE
www.kingman-industries.com



Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



ClearVuTM

Swinging Doors



For General Purpose Applications

These doors are the perfect choice when visibility and safety are needed


Specifically made for Walk-in Coolers and Freezers

ClearVu doors are the best doors on the market for cooler or freezer applications. Employees love the easy access. The auto-closing feature keeps cold in.

Clear .08 or .125 PVC doors offer full visibility

Clear Vu and Impact Swinging Doors

- Can't be tied back
- Opens with less than 1lb. of pressure
- Longer lasting and easier to walk through than strip doors
- Extend compressor life through better temperature control
- Won't drag over carried or pushed items
- Doesn't stick together like strips - unaffected by moisture
- Custom made to your specifications or available in stock sizes



Both doors have the unique gravity hinge (Patent Pending) featuring:

- + steel springs
- + steel fasteners
- + steel rod
- + roller ball bearings

Also available in stainless steel, and noncorrosive materials.

10 Year Rust Proof Warranty

During the warranty if any part of the doors rusts while in use in a walk-in cooler, freezer or any other application it will be exchanged at no charge to the user.

Warranty: ClearVu and Impact Doors are warranted to be free from manufacturing defects for 90 days from the date shipped.



!IMPACT!

Swinging Doors



Green .125 Impact Doors have a 15" x 15" standard clear polycarbonate window which is virtually unbreakable and shatterproof

Impact Plates for High Impact Areas

Resist wear and tear when hand trucks, carts or forklifts push through doors. Impact plates made of .125 ABS can be added to both sides of any ClearVu or Impact door. Plates are permanently bonded to the doors

Impact Doors are available in the following colors:



Kingman Industries (2012) Ltd.
#155 - 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



<Glide Wall

Track & Roller Partition Systems . . .
... the ideal solution to industrial space utilization and organization

Increases productivity, conserves energy, creates privacy, and maximizes usable floor space by allowing activities to be located in the close proximity to areas requiring a clean environment or partition.

Flexible partition rolls easily out of the way when not needed or to provide access to partitioned areas.

SUPER-VISION SERIES



Clear section provides feeling of spaciousness on the inside...yet allows easy supervision from the outside.

Applications:

- Departmental partitioning
- Production work bays
- Wash bays

PRIVACY SERIES



Solid opaque partitions provide privacy for restricted areas.

Applications:

- Employee locker rooms
- In-plant offices
- Model rooms and R&D areas
- First aid rooms

WELD-VISION SERIES




Combines flash-blocking optical safety with spark confinement, minimizing hazards from distracting glare.

Applications:

- Welding booths
- Grinding work stations
- Cutting and Brazing

ENVIRONMENTAL SERIES



Effectively separate warm or cool air into desired areas or use as a barrier for dust and airborne contaminants.

Applications:

- Clean rooms
- Thermal/energy retention
- Containment of dust & airborne contaminants



Kingman Industries (2012) Ltd.
#155 – 11960 Hammersmith Way,
Richmond, BC, V7A 5C9

(P) 604.275.8994
(F) 604.275.8997
(TF) 888.267.8994



.375 Thick Commercial Swinging Doors - Single and Double Door Sets

The Pro-Tuff Door will enhance the appearance of any door opening. The combination of stainless steel and advanced polymers is attractive enough to be used in the home or office but is designed and is rugged enough to stand up to heavy industrial traffic.



Appearance

- Aesthetically Pleasing Style
- Colours Available :
 - Black
 - Blue
 - Brown
 - Green
 - Red
 - Dark Grey
- Professional Appearance
- Lightly Textured Glossy Finish
- Bull Nose Edging

Environmental

- Suitable for Most Operating Temperature Ranges
- Humidity and Moisture Stabilized
- Exposure to Sunlight and Weather
- Resists Chemical Exposure
- UV Resistant
- Corrosion Resistant

Standard Sizes Available

Pro Tuff – Single Door

Width	Height
31	84
36	84
48	84

Pro Tuff – Double Door


Width	Height
36	78
36	84
48	84
60	84
72	84
84	84
96	84

Custom Sizes Available at No Extra Charge

Available Options

ABS Impact Panels
Limit Posts

Hardware is Included with All Doors



Saloon Style Doors Available.
Call For Details

Technical Specs

- Easy Open, Light Duty Double-Acting Walk Through Traffic Panel Door
- Solid .375" Thick Panels
- Steel Support Edge Doublers Enhance Look and Strength
- 100% Coated with "State of the Art" Industrial Polymer Fusion Technology
- High Quality Cast Aluminum Door Jamb Guard
- 3/16" Polycarbonate Window Set in High Impact Urethane Frame
- All Hardware is Stainless Steel and Aluminum
- USDA Approved Coating Resists Scuffs, Dings, and Scarring. Cleans with a Damp Cloth



1.5" Thick Commercial Swinging Doors - 'Fully Gasketed' Double Door Sets

This fully gasketed door system is excellent for areas that need to be kept cold or dust and debris free. Excellent for use in freezer and cooler applications. The Ruff Tuff door system is strong and durable, yet decorative and attractive.



Doors shown with optional tear drop bumper system

Appearance

- High Quality Industrial Appearance
- **Colors Available :**
Black, Blue, Brown, Green, Red,
and Dark Gray
- Rugged Quality
- Lightly Textured Glossy Finish

Environmental

- Suitable for Most Operating Temperature Ranges
- Humidity and Moisture Stabilized
- UV Resistant
- Corrosion Resistant
- Resists Chemical Exposure

Technical Specs

- Exclusive TPR Flexible Hinge. Opens Firm and Flat. Door Does Not rise when opened.
- 1.5" Thick Panel Doors
- Powder Coated Ductile Steel Upper Hinge Assembly. Stainless Steel Hinge Pins.
- Heavy Duty Full Perimeter Steel Tube Frame and Welded Construction
- 100% Coated with Our "State of the Art" Industrial Polymer Fusion Technology
- 3/16 Polycarbonate Window Set in a High Impact Urethane Frame
- High Quality Cast Aluminum Door Jamb Guard
- All Hardware is Stainless Steel

Ruff Tuff is built to withstand the maximum punishment, yet opens with a light touch. The FDA approved coating resists scuffs, dings and scarring. Simply clean with a damp cloth.

Standard Sizes Available- Double Door Sets

Width x Height	
RT6084	60" x 84"
RT7284	72" x 84"
RT7296	72" x 96"
RT9696	96" x 96"

Available Options

Tear Drop Bumper Systems

Full Insulation

Limit Post - Shown Here ->




All Hardware is Included

Doors are Crated for Shipping

1 1/8" Thick Commercial Swinging Doors- Single and Double Door Sets

The perfect door system for use in Supermarkets, Warehouse, Restaurants and for Commercial and Industrial Building applications. The Ruff Tuff II high quality door system is strong and durable, yet decorative and will enhance your decor.



Doors shown with optional ABS impact plates

Single Door		Double Door Set	
Width	Height	Width	Height
31	84	36	78
31	96	36	84
36	84	48	84
36	96	48	96
48	84	60	84
48	96	60	96
All Hardware is Included and doors are crated for shipping		72	84
		72	96
		84	84
		84	96
		96	84
		96	96

Custom Door sizes available at no extra charge

Available Options

Tear Drop Bumper Systems
Dead Bolt Locking System
Full Seal Gasketing
ABS Impact Plates
Limit Post

Appearance

- Clean Architectural Lines
- Colors Available :
Black, Blue, Brown, Green, Red, and Dark Gray
- High Quality Industrial Appearance
- Lightly Textured Glossy Finish

Environmental

- Suitable for Most Operating Temperature Ranges
- Humidity and Moisture Stabilized
- UV Resistant
- Corrosion Resistant
- Resists Chemical Exposure

Technical Specs

- Easy Open, Industrial Duty, Double Acting Cam Lift Door
- 1.125" Thick Panel Doors
- Full Perimeter Steel Tube Frame and Welded Construction
- 100% Coated with Our "State of the Art" Industrial Polymer Fusion Technology
- 3/16 Polycarbonate Window Set in a High Impact Urethane Frame
- High Quality Cast Aluminum Door Jamb Guard
- All Hardware is Stainless Steel and Aluminum
- Opens with Less Than One Pound of Pressure

Ruff Tuff is built to withstand the maximum punishment, yet opens with a light touch. The FDA approved coating resists scuffs, dings and scarring. Simply clean with a damp cloth.



Tuff Lite Stainless Steel Doors

Tuff Lite™ Stainless Steel Doors give you years of rugged reliability and durability that other doors can't match.

They are:

- Rugged, yet Stylish and Elegant
- Stain Resistant
- Easy to clean. Using a stainless steel cleaner will keep your door looking new forever!
- Easy to sanitize. No coating to absorb chemicals or microorganisms.
- Scratch resistant.
- Exceptional Value!

Tuff Lite™ doors include:

- Tough acrylic window.
- Heavy-duty auto closing hinges for smooth and easy opening and closing. Swings 90 degrees in each direction.

Tuff Lite™ door options:

- Impact Protection Systems (call for pricing and availability)

We offer Stainless Doors at the same or lower cost than competitive plastic coated aluminum doors. All of our doors are constructed of the finest stainless steel available.



Single Door

*Custom Heights Available

Actual Door Width	Window	Opening Width	Height
23 1/4"	8 5/16" x 12 5/16"	24"	80" to 84"
29 1/4"	9 5/16" x 16 5/16"	30" to 31"	80" to 84"
35 1/4"	12 5/16" x 17 5/16"	36"	80" to 84"

Technical Specifications

- Thickness is 16 gauge (.0598 inches)
- 2 1/2 pounds of 304 stainless steel per square foot
- 3/16" thick acrylic window with gasket
- Low maintenance steel auto-closing hinges.
- Doors can be mounted with hinges on either left or right door jamb.
- Made in the USA
- Limited 1 year warranty.



Double Door Set

*Custom Heights Available

Opening Width	Height
48"	80" to 84"
60"	80" to 84"
72"	80" to 84"